

EasyShed®

AUSTRALIAN MADE SHEDS

Built for style, durability and function



INNOVATIVE DESIGN

5 Step Assembly • 3x Height Options • 25x Colourways



EasyShed®





5 Step Assembly

The EasyShed is the only DIY assembly shed on the Australian market that comes with an easy-to-follow 5 Step Assembly® sequence for fast and accurate assembly and installation.



ScrewSAFE® Structural Integrity

Every EasyShed features the added strength and security of self tapping screws to ensure the greatest durability of your shed.




EdgeSAFE® Safer Innovative Handling

EasyShed all feature rolled safety edges on all components for easier, safer handling and a quality finish. EdgeSAFE provides protection both during assembly and throughout the shed's lifespan.


Step 1

Back panel assembly




Step 2

Side panel assembly




Step 3

Roof panel assembly




Step 4

Door assembly



Step 5

Front panel assembly



25 Colour Options

EasyShed has the colour solution for any shed.

Choose from any of these 24 colour options, plus zinc. You can also choose a roof colour different to your wall colour!

This is ideal for matching your home colour scheme. There are a total of 625 colour options.

The choice is yours!

- 1 Off White
- 2 Zinc
- 3 Gull Grey
- 4 Armour Grey
- 5 Blue Horizon
- 6 Torres Blue
- 7 Mountain Blue
- 8 Iron Grey
- 9 Slate Grey
- 10 Jasmin Brown
- 11 Bush Smoke
- 12 Stone
- 13 Birch
- 14 Wheat
- 15 Sandlewood
- 16 Pale Terracota
- 17 Merino
- 18 Tuscan Red
- 19 Heritage Red
- 20 Caulfield Green
- 21 Planet Green
- 22 Rivergum
- 23 Mist Green
- 24 Smooth Cream
- 25 Ebony



FLAT Roof Sheds

For those customers who are tight on room, our Flat Roof shed offers the most space-efficient DIY storage solution yet.

Featuring

 **5 Step**
Assembly

 **20 Year**
Warranty



0109E - Heritage Red



0108E - Ebony

02

Designed to fit into small areas,
the Lifestyle Flat Roof model is the perfect solution for dense inner-city living, townhouses and homes where indoor and outdoor storage space is limited.

Model Sizes


Model	Size (width x depth x height)
0100E	1.50m x 0.75m x 1.82m
0101E	2.25m x 0.75m x 1.82m
0102E	3.00m x 0.75m x 1.82m
0103E	3.75m x 0.75m x 1.82m
0108E	1.50m x 1.50m x 1.82m
0109E	2.25m x 1.50m x 1.82m
0110E	3.00m x 1.50m x 1.82m
0111E	3.75m x 1.50m x 1.82m

0100E	0101E	0102E	0103E
0108E	0109E	0110E	0111E

Standard Wall Height



Optional Wall Height



0101E - Bush Smoke



Our standard door height is 1800mm,
and the Skillion Roof model offers a door opening
of 2100mm, catering for larger storage capacity
and taller customers.

Model Sizes

Model	Size (width x depth x height)
0200E	1.50m x 1.50m x 2.10m
0202E^	2.25m x 1.50m x 2.10m
0203E*	3.00m x 1.50m x 2.10m
0204E*	3.75m x 1.50m x 2.10m
0209E	1.50m x 1.90m x 2.10m
0211E^	2.25m x 1.90m x 2.10m
0212E*	3.00m x 1.90m x 2.10m
0213E*	3.75m x 1.90m x 2.10m

* Shed models have 1.50m hinged double doors as standard
^ Double doors not available on these shed models

0200E	0202E	0203E	0204E
0209E	0211E	0212E	0213E

SKILLION Roof Sheds

Our Skillion Roof models offer the added benefit of extra doorway headroom and storage height, while retaining a compact footprint. The sloping roof design also ensures effective run-off.

Featuring

 **25 Colour Options**

 **Extra Head Room**

0202E - Jasmin Brown



0203E - Stone



Standard Wall Height



0200E - Mist Green

GABLE Sheds

For those with a bit more room, the Gable Roof option in our Lifestyle range caters for all your home, garden and equipment storage needs.

Featuring



High Tensile
Steel Construction



ScrewSAFE®
Structural Integrity



04

This is one of our most popular sellers,

offering a stylish DIY storage solution that reflects the unique lifestyles of our customers. Importantly, this unit affords extra space, ensuring it performs perfectly as a dedicated storage solution, satisfying the most serious DIY enthusiast.

Model Sizes

Model	Size (width x depth x height)
0300E	1.50m x 1.50m x 1.97m
0301E	2.25m x 1.50m x 1.97m
0302E	3.00m x 1.50m x 1.97m
0304E	2.25m x 2.25m x 2.05m
0305E	3.00m x 2.25m x 2.05m
0306E	3.75m x 2.25m x 2.05m
0307E	3.00m x 3.00m x 2.10m
0308E	3.75m x 3.00m x 2.10m
0309E	3.75m x 3.75m x 2.18m

0300E	0301E	0302E	0307E	0308E
0304E	0305E	0306E	0309E	




0309E - Caulfield Green



Standard Wall Height



Optional Wall Height



0300E - Slate Grey



0306E - Merino

0301E - Torres Blue



GARAGE Sheds

For an affordable home garage and workshop, look no further than our EasyShed Garage Shed.

Featuring

 **Built for style**
Durability & Function

 **High Tensile**
Steel Construction



0508E - Heritage Red



0508E - Wheat



0508E - Gull Grey

6

Whether you're planning to house a boat,

car or fleet of bikes, the Garage Shed promises the size you'll need for weather-tight storage plus ample circulation space for construction and maintenance tasks.

Model Sizes


Model	Size (width x depth x height)
0504E	4.50m x 3.00m x 2.10m
0505E	6.00m x 3.00m x 2.10m
0506E	7.50m x 3.00m x 2.10m
0507E	4.50m x 3.75m x 2.18m
0508E	6.00m x 3.75m x 2.18m
0509E	7.50m x 3.75m x 2.18m

0504E	0505E	0506E
0507E	0508E	0509E

Standard Wall Height



Optional Wall Height



0508E - Armour Grey

The central beam maximises strength

in extra large footprint units that are perfect for more generous usage requirements. Greater internal space means you'll also have more room for bulkier machinery and equipment storage.

Model Sizes

Model	Size (width x depth x height)
0404E	4.50m x 2.25m x 2.05m
0406E	6.00m x 2.25m x 2.05m
0408E	4.50m x 3.00m x 2.10m
0410E	6.00m x 3.00m x 2.10m
0411E	7.50m x 3.00m x 2.10m
0500E	4.50m x 3.75m x 2.18m
0502E	6.00m x 3.75m x 2.18m
0503E	7.50m x 3.75m x 2.18m

0404E	0406E	
0408E	0410E	0411E
0500E	0502E	0503E



0503E - Smooth Cream

0408E - Tuscan Red



Standard Wall Height



Optional Wall Height



0406E - Blue Horizon



TRUSS Sheds

Looking to house your own workshop or studio space? Our Truss Roof model includes a welded steel support as a central beam.

Featuring



Built for style
Durability & Function



3x Wall
Heights

COMPACT Sheds

Our Off-the-Wall model is a popular and cost-effective option within our Compact range. With no back wall and no need for a concrete slab, this unit can be fixed to an existing dwelling or structure to make economical use of tight spaces.

Featuring



3x Wall Heights



25 Colour Options



Like the rest of the Flat Roof models,
the Off-the-Wall is perfect for courtyard garden storage, denser inner-city living, townhouses and homes where storage is important but space is limited.

Model Sizes

Model	Size (width x depth x height)
0218E	1.50m x 0.75m x 1.95m
0219E	2.25m x 0.75m x 1.95m
0220E*	3.00m x 0.75m x 1.95m
0221E*	3.75m x 0.75m x 1.95m

Limited Optional Extras available on Compact Sheds.
* Shed models have 1.50m hinged double doors as standard



Standard Wall Height



0218E - Blue Horizon



Tested and proven to withstand

maximum winds of 316km per hour, the Storm Shed is rated up to Terrain Category 2 Cyclone conditions. To ensure its strength, the Storm Shed is available only in a Gable Roof design option.

No Optional Extras can be purchased with Storm Sheds due to engineering regulations.

Model Sizes

Model	Size (width x depth x height)
0301S	2.25m x 1.50m x 1.97m
0304S	2.25m x 2.25m x 2.05m
0305S	3.00m x 2.25m x 2.05m

0301S

0304S

0305S

STORM Sheds

Built tough to last, the Storm Shed is part of our Extreme range, and is the highest wind-rated garden shed on the market.


Featuring

-  **Extreme Wind**
Cyclone Proof
-  **Australian**
Made

0301S - Planet Green



0305S - Sandalwood



Standard Wall Height



0304S - Iron Grey

PINNACLE

Sheds

Our Pinnacle Shed features a symmetrical, steep, pitched roof with a decorative trim, making it an ideal storage option to pair with a heritage style home.

Featuring

 **High Snow Bearing**

 **25 Colour Options**



10

Wall and roof colours can be mixed

and matched to suit your existing dwelling, making this an attractive addition to any backyard. You'll find the 2270mm height of the roof pitch also comes in handy for storing taller garden equipment and household items.

Limited Optional Extras available on Pinnacle Sheds.



Standard Wall Height



0600E - Slate Grey
(with optional Off White roof)

Model Sizes

Model	Size (width x depth x height)
0600E	1.50m x 1.50m x 2.27m
0601E	2.25m x 1.50m x 2.27m

0600E	0601E
-------	-------

Easy to clean and maintain

with excellent ventilation and security. All mesh coverings are made from .12mm thick high-tensile steel, with .35mm thick high-tensile steel framing and sheeting, keeping your treasured pets safe and secure.

Concrete fixings and anchor pegs are the only Optional Extras available on Aviaries.

Model Sizes

Model	Size (width x depth x height)
EPHF1508	1.50m x 0.75m x 1.82m
EPHF1515	1.50m x 1.50m x 1.82m

EPHF1508

EPHF1515



AVIARY

Pet house

Accommodation perfect for the family Pet. EasyShed Pet Houses offer a secure environment for breeding and housing both show and domestic animals.

Featuring



EdgeSAFE®
Safer Innovative Handling



5 Step
Assembly

EPHF1508MG - Mist Green



EPHF1515SG - Slate Grey



11

Optional Wall Widths

EPHF1508SC - Smooth Cream



EPHF1515ZA - Zinc



OPTIONAL EXTRAS

Add versatility and value to your investment

Customise with accessories,

most EasyShed models can be finished with a range of optional extras to add versatility and value to your investment. Choose from louvred windows, skylights, double doors and much more.

Item Specifications

Model	Product	Note
2700E*	Louvre Window	Five blade lockable louvre. Not available for all models.
2705E	Fibreglass Skylight	Replaces one roof sheet.
2706E	Double Doors 1.50m	Min. shed width 2.25m. Option replaces single door. Positioned in front panels.
2750	Sliding Door Kit Single	Available in all models.
2751	Sliding Door Kit Double	Minimum Shed Width 3.00m. 1.50m double doors not included.
2731	Concrete Fixing	8 per pack. Two sets of Fixings required for Truss and Garage sheds.
2732	Anchor Pegs	8 per pack. Two sets of Anchors required for Truss and Garage sheds.
2736	Tool Holders	For shovels, brooms and handyman tools. Excludes bikes.
2741	Flooring System	Interlocking modules. One pack = one square metre
2733	Extra Shed Height - 1.98m	To make shed 1.98m at the door.
2734	Extra Shed Height - 2.10m	To make shed 2.10m at the door.
ESHELF4A	Shelving Unit	800w x 300d x 1500h 4 adjustable shelves 300kgs unit load rating

* Zinc and Off White only



Louvre Window

Sliding Door Kit

Fibreglass Skylight

Double Doors

Anchor Pegs

Tool Holders

Flooring System

Concrete Fixing Kit

Extra Shed Height

Shelving Units

DIRECT DELIVERY

Contact EasyShed
for a quote

Featuring

 **7 to 10
Days**

 **From
\$88**

 **Door to door
Delivery**

Your EasyShed® Retailer



GUARANTEED FOR QUALITY

EasySHED® and StormSHED® are manufactured for quality and strength, and warranted for a period of up to 20 years from the date of purchase.

Retain your proof of purchase to effect your warranty period. Contact the Manufacturer for warranty inclusions.

© COPYRIGHT. ALL RIGHTS RESERVED.

The content and concepts contained in this publication are protected by International and Australian Copyright Law. StormSHED® Patent Number 2011902696. Other than as provided for by Law, no part may be copied, reproduced or stored in any form using any method without the prior written permission of Durabuilt Products.

The Durabuilt logo, name, EdgeSAFE® EasySHED® and StormSHED® are registered trade marks of Durabuilt Products. The information contained in this publication is intended to give a fair description of the products. It does not constitute any offer by the manufacturer, nor does the manufacturer warrant or guarantee its accuracy or completeness in describing the various products. Product specifications may change without notice.